



- 11W Main switch only Type 'A' distribution board
- Includes a 100A main switch with twin line and neutral supply terminals and a 100A fixed busbar assembly
- Accepts Siemens 10kA and miniature 6kA final circuit protection devices; SP MCBs (6A to 63A), RCBOs (6A to 50A) and AFDDs (6A to 40A)
- RAL 7035 Grey powder coat finish. Designed and manufactured in the UK to BS EN 61439-3

Product Specification Data

Revision Date: 13/02/2024

| | |
|----------------------------------|-----------------|
| Mounting method | Surface mounted |
| Number of poles main switch | 2 |
| Main switch rated current | 100 A |
| Degree of protection (IP) | IP2XC |
| Height | 235 mm |
| Width | 293 mm |
| Depth | 133 mm |
| Extension possible | No |
| With transparent cover | No |
| Lockable | Yes |
| Product Standard/s | BS EN 61439-3 |
| Frequency | 50 Hz |
| CE Conformity | Yes |
| WEEE Symbol | Yes |
| UKCA Conformity | Yes |
| Number of rows (Type 'A' boards) | 1 |
| Number of ways (Type 'A' boards) | 11 |
| Amperage | 100 A |
| Pole Configuration | SPN |
| Operating Voltage | 230 V |
| Type of Current | AC |
| Busbar type | Fixed Busbar |
| Main switch rating | 100 A |
| Colour RAL | 7035 |

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this datasheet, specifications and performance data are constantly changing. Latest details can be obtained from the Electrium website.