



- 16W Main switch only Type 'A' distribution board
- Includes a 100A main switch with twin line and neutral supply terminals and a 100A fixed busbar assembly
- Accepts Siemens 10kA and miniature 6kA final circuit protection devices; SP MCBs (6A to 63A), RCBOs (6A to 50A) and AFDDs (6A to 40A)
- RAL 7035 Grey powder coat finish. Designed and manufactured in the UK to BS EN 61439-3

#### Product Specification Data

Revision Date: 13/02/2024

Mounting method	Surface mounted
Number of poles main switch	2
Main switch rated current	100 A
Degree of protection (IP)	IP2XC
Height	235 mm
Width	437 mm
Depth	133 mm
Extension possible	No
With transparent cover	No
Lockable	Yes
Product Standard/s	BS EN 61439-3
Frequency	50 Hz
CE Conformity	Yes
WEEE Symbol	Yes
UKCA Conformity	Yes
Number of rows (Type 'A' boards)	1
Number of ways (Type 'A' boards)	16
Amperage	100 A
Pole Configuration	SPN
Operating Voltage	230 V
Type of Current	AC
Busbar type	Fixed Busbar
Main switch rating	100 A
Colour RAL	7035

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this datasheet, specifications and performance data are constantly changing. Latest details can be obtained from the Electrium website.